

4Life® Transfer Factor® Tri-Factor® Formula

Immune system product that was shown in an in vitro study to boost natural killer cell activity by up to 283%*

- Provides powerful immune system support*
- Stimulates natural killer (NK) cell activity by up to 283%*†
- Educates immune cells*
- Provides concentrated, certified 4Life Transfer Factor

What is 4Life Transfer Factor Tri-Factor Formula?

Raise Your Immune I.Q.® with 4Life Transfer Factor Tri-Factor Formula! This product contains ingredients made by the immune system for the immune system.* It represents a revolutionary advancement in Transfertechnical® Science and raises the bar on the standard of immune system support with 4Life® Tri-Factor Formula—a combination of UltraFactor XF®, OvoFactor®, and NanoFactor® extract. The messenger molecules found in 4Life Transfer Factor Tri-Factor Formula help educate immune cells and support the immune system's ability to more effectively recognize, respond to, and remember potential health threats.*

At 4Life, we certify all 4Life Transfer Factor products. We pledge to uphold the highest standards of product design and manufacturing for every product we sell. We will always strive to create products of the utmost quality and efficacy. When you purchase 4Life Transfer Factor products, you can rest assured that you're getting the very best. In fact, we guarantee it.

Key Features

- Promotes healthy immune system function that, in turn, promotes healthy energy levels and the healthy function of all other systems throughout the body*
- Contains 4Life Transfer Factor to educate immune cells and promote the immune system's ability to more effectively recognize, respond to, and remember potential health threats*
- Is protected by U.S. patents: 6,468,534 (extraction process for transfer factors from egg sources) and 6,866,868 (combination process of transfer factors from cow colostrum and chicken egg yolks)

Primary Support:

Immune System*
Overall Wellness*

Order online at www.4life.com/114859

or call 1-810-678-3131

4 LIFE RESEARCH, LLC

Independent Distributor #114859

Chuck & Judy Erkitz - *Natures Better Way*

870 W Dryden Rd, Metamora, MI. 48455

810-678-3131 - erkfitz@erkfitz.com



DIRECTIONS: Take two (2) capsules daily with 8 oz of fluid.

Supplement Facts

Serving Size: Two (2) Capsules
Servings Per Container: 30

Amount Per Serving	% Daily Value
4Life® Tri-Factor® Formula	600 mg **
UltraFactor XF® A proprietary concentrate of ultra-filtered 4Life Transfer Factor® proteins and other peptides from cow colostrum	
OvoFactor® A patented concentrate of 4Life Transfer Factor® proteins and other peptides from chicken egg yolk	
NanoFactor® A proprietary concentrate of nano-filtered cow colostrum	

**Daily Value not established

OTHER INGREDIENTS: Gelatin capsule, maltodextrin, and silicon dioxide.
CONTAINS INGREDIENTS FROM MILK AND EGG.

Ordering Information

Item # 24070 - 60 ct/bottle


Item # 24071 - 12 for the price of 10

*THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

4Life® Transfer Factor Tri-Factor® Formula

Scientifically studied, 4Life Transfer Factor Tri-Factor Formula was developed by 4Life researchers and scientists in an effort to maximize immune system support. The combination of 4Life's patent-protected UltraFactor XF®, OvoFactor®, and NanoFactor® extract helps activate natural killer cells by up to 283%.*†

4Life Transfer Factor® Tri-Factor® Formula Increases Natural Killer (NK) Cell Activity



*Indicates the percentage increase above the baseline value

†Test results obtained from an independent, unpublished in vitro experiment conducted at the Russian Academy of Medical Sciences, in Kashirskoe Shosse, Russia. The randomized and controlled in vitro study assessed the effects of 4Life Transfer Factor® Classic, 4Life Transfer Factor® Tri-Factor® Formula, or 4Life® Transfer Factor Plus® Tri-Factor® Formula, versus a positive control (Interleukin-2, or IL-2) on NK cell activity and effectiveness in destroying damaging cells. Blood was collected from healthy volunteers and then incubated for up to 48 hours. [REFERENCE: Kisielevsky MV & Khalturina EO. Unpublished observations.]

These studies were funded in full or in part by 4Life Research USA, LLC.

***THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.**